2

## RECEIVED CENTRAL FAX CENTER

OCT 2 4 2006

**APPLICATION NO.: 10/054,155** ATTORNEY DOCKET NO.: 10011309-1

Page 2 of 10

## **AMENDMENTS TO THE CLAIMS**

The following listing of claims replaces all prior versions and listings of claims in the above-referenced application:

1 1.-13. (Canceled) 14. (Currently amended) A text enhancer, comprising: 1 means for receiving a compiler output that includes data files and algorithms, 2 the compiler output in the form of a text file having a plurality of lines of information; 3 means for comparing the plurality of lines of information with a string to 4 generate a match; 5 means for compiling a statistic on the match; 6 7 means for converting the text file to a hypertext markup language translation of the text file; 8 means for inserting an entry in the hypertext markup language translation of 9 10 the text file responsive to a condition of a device under test identified by the compiler; and 11 12 means for adding a summary to the hypertext markup language translation. 15. (Original) The text enhancer of claim 14, further comprising: 1 2 means for reporting the statistic. The text enhancer of claim 14, further comprising: 1 16. (Original) means for applying a hypertext markup language link between the statistic and 2 an instance of the string in the match. 3 17. The text enhancer of claim 14, wherein the means for (Original) 1 comparing receives a previously stored string.

APPLICATION NO.: 10/054,155 ATTORNEY DOCKET NO.: 10011309-1

Page 3 of 10

1	18.	(Original)	The text enhancer of	f claim	14,	wherein	the	means	toı
2	comparing receives a string via an input device.								

- 1 19. (Currently amended) A program stored on a computer-readable 2 medium, comprising:
- logic configured to receive a compiler output that includes data files and algorithms, the compiler output in the form of text data;
- 5 logic configured to locate a text string within the text data;
- logic configured to log located text strings, wherein each occurrence of a particular text string is associated with an indicator;
- 8 logic configured to translate the text data to a hypertext markup language 9 format:
- logic configured to register a respective label and insert an entry in the
  hypertext markup language format of the text data responsive to a condition of a
  device under test in a text data summary identified by the compiler;
- logic configured to add the text data summary to the hypertext markup language format; and
- logic configured to associate a particular label with occurrences of the particular text string located within the text data.
- 1 20. (Original) The program of claim 19, wherein the logic configured 2 to log located text strings records a number of occurrences of the particular text string.
- 1 21. (Original) The program of claim 19, wherein the logic configured 2 to register a respective label concatenates the number of occurrences of the particular 3 text string to the label to generate a summary entry.
- 1 22. (Previously presented) The program of claim 21, wherein the logic configured to associate adds a link.

**APPLICATION NO.: 10/054,155** 

ATTORNEY DOCKET NO.: 10011309-1

Page 4 of 10

- 1 23. (Original) The program of claim 22, wherein the link comprises
- 2 changing a characteristic of both the text string in the text data and the summary entry.
- 1 24. (Original) The program of claim 22, wherein the link comprises
- 2 adding an alphanumeric character to both the text string and the summary entry.
- 1 25. (Original) The program of claim 22, wherein the link is a hypertext
- 2 markup language link.
- 1 26.-41. (Canceled)